

## Hautbois Risk Assessment



|                                   |                                   |                              |                                       |
|-----------------------------------|-----------------------------------|------------------------------|---------------------------------------|
| <b>Activity:</b> Initiative Tests | <b>Assessor:</b> Abbie Stewardson | <b>Date:</b> January 2018    | <b>Tech Advisor:</b> Abbie Stewardson |
| <b>Assessment No:</b> RA-INT18    | <b>SOP No:</b> SOP-INT18          | <b>Lesson Plan:</b> LP-INT18 | <b>Page:</b> 1 of 1                   |

**Description:** A variety of different physical and mental challenges constructed around the estate. Ratio of 1:12.

SR= Severity Rating; 5 (Catastrophic) 4 (Major) 3 (Moderate) 2 (Minor) 1 (None)

LH=Likelihood Rating 5 (Almost certain) 4 (Likely) 3 (Possible) 2 (Unlikely) 1 (Insignificant)

RR= Risk Rating; H (High) M (Medium) L (Low) I (Insignificant)

| Significant Hazard          | Who Might be Harmed and How  | Existing Controls  | Severity | Likelihood | Risk Rating |
|-----------------------------|--|--|----------|------------|-------------|
| Manual Handling (people)    | Participants - when lifting planks of wood for tasks, or each other, minor injuries                  | Instructor to explain best practice with lifting; straight backs, sharing the load.<br>Supervision by leader.  | 2        | 2          | L           |
| Falling in water - drowning | Participants - groups getting lost and attempting to cross ditches, slipping into Cut.               | Safe Operating Procedure followed.<br>Groups given clear boundaries and activity area  | 5        | 1          | L           |
| Equipment- (incorrect use)  | Participants hurting themselves on natural obstacles on site such as roots of trees and sharp bushes | Groups are given clear instructions to take their time and are briefed to be aware of natural hazards around the site.<br><br>Participants briefed on how to use equipment safely at the beginning of the session. | 2        | 2          | L           |

|                                  |             |                      |
|----------------------------------|-------------|----------------------|
| <b>Review Date:</b> January 2019 | <b>Name</b> | <b>Action Taken:</b> |
|----------------------------------|-------------|----------------------|

This Risk Assessment should work in conjunction with the generic risk assessment (RA-GEN16) and relevant activity's Safe Operating Procedure (SOP-).